





MARKET ADDRESS INFO HERE

These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturer reserves the right to vary their specification, including colours, with or without notice at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor. While efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specific details with the supplying Dealer, especially if a selection is dependent upon one of the features advertised.



HONDA



When we designed our range of gardening products we looked at your life from every angle.

Everything we learn from everything we do, goes into the development of our lawn and garden products, allowing us to create new technologies and new ways of solving problems. Not only making them the very best they can be, but making them a joy to use and own. So it's not just clever engineering, it's **ENGINEERING FOR** /

CONTENTS

- **03** Cordless range
- **05** Cordless brushcutter
- **06** Cordless hedgetrimmer & leaf blower
- **09** Petrol range
- **11** Petrol brushcutters
- **13** Petrol Versatool™
- **14** Petrol hedgetrimmer & leaf blower
- **15** Petrol range specification
- 17 World of Honda Power Products

Cordless Range

When the going gets tough, you need tools that work as hard as you do - efficiently, effectively and without needless noise or breaks.

Designed for professionals, our cordless handheld tools are powered by our new **Honda Universal Battery System that** delivers sustained power throughout the duration of its charge. Designed for use in all weather conditions*, they are built for comfortable use over sustained periods and run on a common battery that can be changed in seconds – so you never need to stop for long. Together, the range gives you everything you need to get the job done.

Handheld features

High performance

Built to satisfy the needs of professionals, our battery-operated handheld tools deliver the performance and durability you need, from the moment you begin, to the end of the job.

Fully weatherproof

EGV

We know you don't want to stop when the rain starts to fall. That's why our cordless handheld tools are safe to use in all weathers when used with the 9Ah battery, which has a weatherproof coating.



THE RANGE

BRUSHCUTTER HEDGETRIMMER LEAF BLOWER

Power for professionals

Built to deliver full power throughout their charge, our interchangeable, fast-charging 9Ah batteries use a clever Thermo Smart technology allowing you to work for longer. Robust enough to withstand a 2 m drop, they also feature an LCD display showing you the remaining charge.

Honda Universal Battery System

Our products run on the most advanced battery system in its class. With casings that can withstand real-life rough treatment, all batteries can be changed quickly and used to power Honda's new cordless range.

Comfortable to handle

We know you need to be able to use your tools comfortably for hours on end, which is why the brushcutter includes an adjustable harness and a bike handle for extra comfort.

The hedgetrimmer comes with a handle that can be adjusted for use at different angles and the leafblower features a belt mounted battery to reduce weight.

Cordless brushcutter

Cordless hedgetrimmer & leaf blower





Keep on cutting

When you need to tame the toughest undergrowth, you can count on our cordless brushcutter. Powered by a 36V brushless EC motor, it delivers sustained power during use, with no need for servicing.

The blade releases automatically if it jams, so the motor won't stall – and because the tool is IPX4 certified,* you can use our brushcutter all year round.

With a new ergonomic bike handle and adjustable harness, which comes as standard, you can work comfortably, all day long. And because it's battery operated, vibration and noise levels are low. Ideal for early starts and late finishes.



Stop at nothing

Our cordless hedgetrimmer and leaf blower make light work of your outdoor tasks. Both run on brushless EC motors, built to deliver all the power you need. And because they are certified to IPX4 for water-resistance, they are usable all year round.

The hedgetrimmer features hardened Swiss steel and double sided roughing blades, so you can power through the most stubborn foliage, and a rotatable rear handle makes for comfortable use at any angle.

The leaf blower can operate at variable speeds with interchangeable nozzles, so you can blast through dry, wet or heavy debris - whatever the job demands. Its belt-mounted, quick-release battery can be adjusted for left or right-handed use, making the tool itself even lighter to use.

*Achieves this rating only when used with the 9Ah DPW3690XA battery.

BATTERIES

A selection of Honda universal Li-ion batteries for the cordless range.







36V 6.0Ah DP3660XA

CHARGING	SPECIFICA	AHON		
MODELS	CHARGING CURRENT (AMPS)	CHARGING TIME TO 80% (MINS)	CHARGING TIME TO 100% (MINS)	CHARGER WEIGHT
6V 4.0Ah	8	25	35	0,82 kg
6V 6.0Ah	8	35	55	0,82 kg
6V 9.0Ah	8	49	77	0,82 kg

CHARGER

The charger can be used with all the batteries above.

Batteries and chargers sold separately.



Cordless range specification Use our handy table to compare our handheld cordless range and choose the right model for you.





4Ah Battery run time (mins)	60/33⁴
6Ah Battery run time (mins)	90/50⁴
9Ah Battery run time (mins)	135/75△
Shaft type	Straight
Handle	Bike handle
Grass cutter attachments: Tap & go nylon head	Yes
Grass cutter attachments: 3 tooth blade	Yes
Weatherproofing	IPX4
Harness	Double shoulder comfort
Blade type	-
Blade length (mm)	-
Blade spacing (mm)	-
Nominal air flow (m/sec)	-
Maximum wind speed (m/sec)	-
Maximum cuts (min)	-
Noise dB(A)**	93***
Bare tool weight (kg)	6,5
Additional feature	-

HEDGETRIMMER	LEAF BLOWER
HHH 36 AXB	HHB 36 AXB
56	12 ^{ΔΔ}
84	18 ^{ΔΔ}
126	27™
-	-
-	-
-	-
-	-
IPX4	IPX4
-	-
Dual roughing blade	-
60	-
35	-
-	860*
-	66*
3000	-
101	99
5,0	2,7
-	Battery belt
- Not available	




[∆]Figures relate to: Blade / Standard bump feed head and line [∆]Products internally tested under no load *With fan nozzle ***Guaranteed sound power level in accordance with 2000/14/EC - 2005/88/EC ****Value for nylon trimming line supplied as standard with the product

Model availability is dependent on country, do not hesitate to ask your local Honda dealer.

Petrol Range

Reliable, durable and created to work in the toughest environments, our range of brushcutters are easy to use and efficient to run. Designed around our legendary 4-stroke engine technology, they are compact, yet powerful enough to tackle any job.



Handheld features

Decompression system

Compact design The mini 4-stroke Honda engines

have a belt-driven OHC design

which is compact and lightweight. In addition, the 4-stroke engine design reduces unpleasant mechanical noise, making them quieter and more comfortable to use for longer periods.

The GX25 and GX35 are equipped with a mechanical decompression system combined with a super-lightweight flywheel which requires minimum effort on the recoil-rope to start the engine. Everyone can start the engine and this is part of the reputation of Honda's product.

360° lubrication

These engines feature a rotary slinger pumping lubrication system which provide a constant flow of lubrication whatever the position of the engine. This makes usage and storage very convenient.



THE RANGE



High fuel efficiency

Whatever the application, these engines offer long running time between filling through their optimised fuel tank and low fuel consumption. Fuel consumption at maximum power: Honda GX25 0,54 litre/hour at 7.000 rpm Honda GX35 0,71 litre/hour at 7.000 rpm

Honda 4-stroke engine

The mini Honda 4-stroke GX25 and GX35 engines offer the performance you expect from larger engines, with strong torque available across the entire rpm, but in a very compact package.

These engines power the Honda handheld product range and have satisfied millions of customers around the globe. They are quiet and convenient to use, with minimal vibration levels and low emissions, with the added feature of not requiring a pre-mix of oil and fuel.

Petrol brushcutters



Access all areas

A range of brushcutters, powered by our GX25 or GX35 engines, are clean, quiet and easy to use. However challenging the job - there's one for you.

The Honda 4-stroke engines are not only the most compact and reliable of their kind, but they help to reduce mechanical noise, vibration and emissions. They are extremely manoeuvrable and come with an adjustable harness for maximum comfort.

Choose from our complete range, including a backpack brushcutter which has been designed to be highly manoeuvrable and comfortable. Or there is our bent shaft brushcutter, which comes fitted with the tap and go nylon head and is designed to reach really tricky areas.



Making light of heavy work

The new UMK 450 is designed to work as hard as you do, delivering reliable, constant power in the most demanding environments.

Powered by a new 4-stroke 2hp GX50 engine that combines low fuel consumption with high torque when you need it, allowing you to work more efficiently for longer. It's easy to start and a joy to use, with an improved harness with anti vibration system*, a choice of bike or loop handle and an ergonomically designed grip. Whilst a new nylon blade and choice of a 2 touth most a hand make light work of any light. The next IMM 450 reads 3 tooth metal head make light work of any job. The new UMK 450, ready when you are.

ACCESSORIES

A range of versatil available across the range.







*Specific to UMK 450 XE. **4 tooth blade only available on bike type model.

Petrol hedgetrimmer & leaf blower





The garden power tool that does it all

The Versatool™ is designed to take on a huge range of garden tasks. With eight push-and-click attachment options and a 4-stroke engine at its heart, it's the ultimate power tool for gardening perfection.

Our multipurpose Versatool™ features a comprehensive range of interchangeable attachments, from pruners, hedgetrimmers and linecutters to blowers, edgers and cultivators. All are easily attached via our innovative joint system: Simply push and click to lock in your preferred attachment. The Versatool™ is available with a GX25 or GX35 engine which will guarantee a very long product lifespan.

Blow and cut with ease

Both our handheld hedgetrimmer and blower have the benefit of the unrivalled Honda GX25 engine, to make light work of the numerous jobs they can do in your garden.



Honda hedgetrimmers are designed for accurate trimming in gardens and parks. The 60 or 75 cm length double blade ensures fast and efficient work through a high bending performance. The ergonomically comfortable controls, adjustable handle, low vibration frame, and reliable 4-stroke engine make Honda hedgetrimmers indispensable.

The compact Honda lightweight blower is ideal for keeping gardens, parks, stadiums, and streets neat and tidy all year round.





The airflow can reach 600 m³/h which allows it to blow heavy and wet debris. Its cruise control feature allows you to maintain the engine speed without having to hold the trigger – great for using it over long periods of time. The Honda micro engine is designed to run smoothly with very few vibrations and low noise, whilst its mechanical decompression design offers easy starting. A 360° lubrication system allows you to work and store the machine in any position.

Petrol range specification

Use our handy table to compare our handheld range and choose the right model for you.



Engine	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC
Engine displacement (cc)	25	25	35	35	35	47,9	47,9	47,9
Engine model	GX25T	GX25T	GX35T	GX35T	GX35T	GX50	GX50	GX50
Engine net power (kW/rpm)	0,72/7.000	0,72/7.000	1,0/7.000	1,0/7.000	1,0/7.000	1,47/7.000	1,47/7.000	1,47/7.000
Fuel tank capacity (litres)	0,58	0,58	0,63	0,63	0,63	0,63	0,63	0,63
Engine oil capacity (litres)	0,08	0,08	0,10	0,10	0,10	0,13	0,13	0,13
Transmission type	Low vibration centrifugal clutch	Low vibration centrifugal clutch	Low vibration centrifugal clutch	Low vibration centrifugal clutch	Centrifugal clutch	Low vibration centrifugal clutch	Low vibration centrifugal clutch	Low vibration centrifugal clutch
Shaft type	Straight	Straight	Straight	Straight	Flexible	Straight	Straight	Bent
Handle	D-loop	Bike type	D-loop	Bike type	D-loop	D-loop	Bike type	Bike type
Grass cutter attachments: Tap & go nylon head	•	•	•	•	•	•	•	•
Grass cutter attachments: 3 tooth blade	•	•	•	•	•	•	•	•
Hedgetrimmer attachment	0	-	0	-	-	-	-	-
Pruner attachment	0	-	0	-	-	-	-	-
Optional attachments	4 tooth blade	4 tooth blade and saw blade	4 tooth blade	4 tooth blade and saw blade	4 tooth blade	4 tooth blade	4 tooth blade and saw blade	4 tooth blade and saw blade
Harness	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	Double shoulder comfort	Double shoulder EXTRA comfort		Double shoulder EXTRA comfort
Noise dB(A)*	109	109	109	109	111	108	108	108
Dimensions (L x W x H (mm))	1.859 x 384 x 252	1.859 x 671 x 517	1.870 x 384 x 258	1.870 x 671 x 521	2.810 x 375 x 565	1.851 x 384 x 262	1.851 x 671 x 521	1.820 x 671 x 590
Dry weight (kg)	5,98	6,28	7,22	7,53	10,7	7,8	8,1	9
Additional feature	Heavy duty transmission head	Heavy duty transmission head	Heavy duty transmission head	Heavy duty transmission head	-	Heavy duty transmission head	Heavy duty transmission head	Anti-vibration / Heavy duty transmission head

Standard O Optional - Not available









BRUSHCUTTERS	VERSATOOL™				
UMS 425	UMC 425 E	UMC 435 E			
200					
4-stroke OHC	4-stroke OHC	4-stroke OHC			
25	25	35			
GX25T	GX25T	GX35T			
0,72/7.000	0,72/7.000	1,0/7.000			
0,58	0,58	0,63			
0,08	0,08	0,10			
Centrifugal clutch	Low vibration centrifugal clutch	Low vibration centrifugal clutch			
Bent	Straight	Straight			
D-loop	D-loop	D-loop			
•					
	See table below for attachment specification				
-					
-	Single strap	Double strap			
109	-	-			
1.708 x 223 x 413	1.135 x 315 x 245	1.145 x 325 x 255			
5,49	5,10	6,00			
-	Joint system Joint sys				

HEI	BLOWER		
HHH 25D 60E	HHH 25D 75E	HHH 25S 75E	HHB 25
S	*		

Engine 4-stroke OHC 25 <th< th=""><th></th><th></th><th></th><th></th><th></th></th<>						
Engine model GX25T GX25T GX25T GX25T Engine net power (kW/rpm) 0,72/7.000 0,72/7.000 0,72/7.000 0,72/7.000 Fuel tank capacity (litres) 0,58 0,58 0,58 0,58 Engine oil capacity (litres) 0,08 0,08 0,08 0,08 Transmission type Centrifugal clutch	Engine	4-stroke OHC	4-stroke OHC	4-stroke OHC	4-stroke OHC	
Engine net power (kW/rpm) 0,72/7.000 0,83 0,08 0,09 0,09 0,09	Engine displacement (cc)	25	25	25	25	
kW/rpm) 0,727.000 0,727.000 0,727.000 0,727.000 Fuel tank capacity (litres) 0,58 0,58 0,58 0,58 Engine oil capacity (litres) 0,08 0,08 0,08 0,08 Transmission type Centrifugal clutch Centrifugal clutch<	Engine model	GX25T	GX25T	GX25T	GX25T	
Engine oil capacity (litres) 0,08 0,08 0,08 0,08 Transmission type Centrifugal clutch Centrifugal clutch - - Blade type (Dual / Single) Dual Dual Single - Blade length (mm) 580 720 720 - Blade spacing (mm) 36 36 36 - Nominal air flow (with fan nozzle (m/sec)) - - - 600 Maximum wind speed (with fan nozzle (m/sec)) - - - 70 Noise dB(A)* 104 104 104 102 Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air		0,72/7.000	0,72/7.000	0,72/7.000	0,72/7.000	
Transmission type Centrifugal clutch Centrifugal clutch Centrifugal clutch Centrifugal clutch Centrifugal clutch - Blade type (Dual / Single) Dual Dual Single - Blade length (mm) 580 720 720 - Blade spacing (mm) 36 36 36 - Nominal air flow (with fan nozzle (m/sec)) - - - 600 Maximum wind speed (with fan nozzle (m/sec)) - - - 70 Noise dB(A)* 104 104 104 102 Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air	Fuel tank capacity (litres)	0,58	0,58	0,58	0,58	
Diagram Diag	Engine oil capacity (litres)	0,08	0,08	0,08	0,08	
Dual / Single Dual Dual Single -	Transmission type				-	
Blade spacing (mm) 36 36 36 - Nominal air flow (with fan nozzle (m/sec)) - - - 600 Maximum wind speed (with fan nozzle (m/sec)) - - - 70 Noise dB(A)* 104 104 104 102 Dimensions (L x W x H (mm)) 259 259 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air		Dual	Dual	Single	-	
Nominal air flow (with fan nozzle (m/sec)) - - - 600 Maximum wind speed (with fan nozzle (m/sec)) - - - - 70 Noise dB(A)* 104 104 104 102 Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air	Blade length (mm)	580	720	720	-	
(with fan nozzle (m/sec)) - - 600 Maximum wind speed (with fan nozzle (m/sec)) - - - 70 Noise dB(A)* 104 104 104 102 Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable Clipping collector Adjustable air	Blade spacing (mm)	36	36	36	-	
(with fan nozzle (m/sec)) 104 104 104 102 Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 335 x 265 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air		-	-	-	600	
Dimensions (L x W x H (mm)) 1.080 x 312 x 259 1.220 x 312 x 259 1.125 x 310 x 259 335 x 265 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air		-	-	-	70	
(L x W x H (mm)) 259 259 259 Dry weight (kg) 6,30 6,60 5,80 4,50 Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air	Noise dB(A)*	104	104	104	102	
Additional feature 180° adjustable 180° adjustable Clipping collector Adjustable air					335 x 265	
Additional feature	Dry weight (kg)	6,30	6,60	5,80	4,50	
	Additional feature					

*Guaranteed sound power level (in accordance with 2.000/14/EC Directive) in dB(A). Model availability is dependent on country, do not hesitate to ask your local Honda dealer.

	VERSATOOL™ ATTACHMENTS										
	Powerhead 25 cc	Powerhead 35 cc	Brushcutter	Cultivator	Extension - long	Extension - short	Hedgetrimmer - long	Hedgetrimmer - short	Pruner	Blower	Edger
Dimensions (L x H x W (mm))	1.708 x 310 x 245	1.145 x 315 x 258	770 x 400 x 210	795 x 235 x 255	1.060 x 65 x 52	559 x 65 x 52	1.400 x 120 x 120	900 x 120 x 120	1.070 x 140 x 88	860 x 264 x 190	695 x 330 x 145
Dry weight (kg)	5,6	6,4	1,85	3,3	1,1	0,7	2,6	2,35	2,1	2,1	2,05

World of Honda **Power Products**

Our Power Product range now offers a choice between clean Honda 4-stroke engines and cutting-edge electric motors powered by our Universal Battery System. That's because we're committed to making our products as user-friendly, fuel-efficient and reliable as we can - all without compromising performance. So however you prefer to work, there's a Honda Power Product for you.



Power you rely on

Quiet, dependable and always ready to help, our comprehensive range of generators is trusted around the world. From equatorial jungles to research posts in the Arctic Circle, they provide versatile, powerful and reliable performance at a moment's notice. If you're looking for a backup power supply for your home or need assistance with outdoor activities, contact your local dealer and discover what our generators can do for you.



Heading for market use

